



EPA Reg. No. 82074-1

FIFRA Section 2(ee) Recommendation

For Control of Hemp Russet Mite on Listed Food and Nonfood Crops Grown in Indoor/Outdoor Nurseries, Greenhouses, Shadehouses, and Interiorscapes

FOR USE AND DISTRIBUTION IN THE STATE OF NY ONLY

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the US Environmental Protection Agency.

All applicable directions, restrictions, and precautions on the EPA-registered labels must be followed. Please contact your Certis USA regional sales manager to determine the specific requirements for FIFRA §2(ee) recommendations in your respective state.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All Listed Crops

Insect	Application Rate	Use Instructions
Hemp Russet Mite	Spray: 1-2 qt per 100 gallons spray volume	High pest pressure: apply 2-3 times, 2-5 days apart Low pest pressure: apply every 5-10 days No limit to application number in one season
	Dip: 1/2 – 1 fl oz per gallon (5 – 10 fl oz per 10 gallons)	Agitate dip suspension throughout use. Prepare a new dip suspension regularly to avoid potential accumulation of plant pathogens. Prepare only as much dip suspension as can be used in one day. Do not use dip suspension for more than one day. Disinfect the dipping tank and equipment before a new dip suspension is prepared. Avoid exposing dipped cuttings to full sun. Do not use on stressed/wilting cuttings. Do not use without
		determining crop sensitivity (phytotoxicity) first.

Crop-Specific Restrictions:

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Mycotrol ESO 2(ee) Hemp Russet Mite (NY) Issued: 2023-07-27

Page 1 of 2

Certis USA LLC 9145 Guilford Road, Suite 175 Columbia MD 21046 (800) 250-5024







EPA Reg. No. 82074-1

Do not apply on poinsettias after bract formation.

Do not use dip solution for more than one day.

Do not apply through a thermal pulse fogger.

Refer to EPA-approved label for complete list of **USE RESTRICTIONS**.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and observe the precautionary statements plus all other information appearing on the product labels. **This recommendation must be in the possession of the user at the time of pesticide application.**