

# OHP CHIPCO® 26019 N/G & OHP 26 GT®-O



A FUNGICIDE FOR THE PREVENTION AND CONTROL OF CERTAIN  
DISEASES OF ORNAMENTALS

Product Information Bulletin 201

## GENERAL INFORMATION

**OHP Chipco 26019 N/G** and **OHP 26 GT-O** are broad spectrum fungicides that may be applied safely to a wide range of ornamental flowering and foliage plants, either as a spray, drench, or dip. **OHP Chipco 26019 N/G** contains 50% active ingredient per pound. **OHP 26 GT-O** contains 2 lbs. active ingredient per gallon. **OHP Chipco 26019 N/G** is a wettable powder formulation and **OHP 26 GT-O** is a liquid formulation.

**Common Name:** Iprodione

**Class:** Dicarboxamide

**Packaging:** **OHP Chipco 26019 N/G** is packaged in 2 lbs. containers. **OHP 26 GT-O** is packaged in one gal. containers.

## RESTRICTED ENTRY INTERVAL (REI) AND SIGNAL WORD

REI = **12 hours**

Signal Word = **CAUTION**

## PERSONAL PROTECTION EQUIPMENT (PPE)

Mixers, loaders, others exposed to the concentrate, cleaners/repairers of equipment, and applicators applying as a dip treatment must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves
- Chemical-resistant apron
- Chemical-resistant footwear plus socks

## Applicators using hand-held equipment:

- Coveralls over long-sleeve shirt and long pants
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposures
- A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P, or HE filter

## MODE OF ACTION

**OHP Chipco 26019 N/G** and **OHP 26 GT-O** are contact, curative fungicides which inhibit germination of fungal spores and growth of fungal mycelium.

## USE SITES

Both formulations are recommended for use on a wide variety of ornamentals in field or container nurseries, conifer nurseries, greenhouse, and in landscape settings.

## DISEASES CONTROLLED

Aerial Web Blight  
Alternaria Leaf Blight  
Alternaria Leaf Spot  
Blossom Blight\*  
Botrytis sp.  
Cylindrocladium Blight and Wilt\*  
Daffodil Leaf Scorch\*  
Fusarium Corm Rot  
Fusarium Leaf Spot  
Helminthosporium Leaf Spot  
Ink Spot  
Ray Blight  
Rhizoctonia  
Rhizoctonia Stem and Root Rot  
Tulip Fire

\* not registered for use in California  
(see label for complete list)

## APPLICATION RATES

### OHP Chipco® 26019 N/G

**Foliar spray:** apply 1 to 2 lbs. per 100 gallons of water to the point of runoff. Repeat applications may be made every 7 to 14 days.

**Surfactant:** A resin based surfactant should be added to foliar sprays for use on iris, lilies, and tulips.

*Do not apply more than 2.5 lbs. of product per acre per application. Do not make more than four (4) applications per year.*

**Drench:** Apply at seeding and/or after transplanting for Rhizoctonia control at 6.5 oz. per 100 gallons of water. Apply 1 to 2 pints of solution per square foot.

*Do not exceed a total of 17.6 oz. of OHP Chipco 26019 N/G Fungicide per 1,000 sq. ft. per year.*

*Limit individual applications of OHP Chipco 26019 N/G Fungicide to a maximum of 6 per year.*

*Do not use as a drench on impatiens or pothos. Do not use on Spathiphyllum.*

**Dip:** Dip in a solution of 1 to 2 lbs. of OHP Chipco 26019 N/G Fungicide per 100 gallons of water for five minutes prior to cold storage or planting.

- As a dip, OHP Chipco 26019 N/G Fungicide is labeled for use on Botrytis Storage Rot (*Botrytis* sp.), Cylindrocladium Blight and Wilt \*, and Fusarium Corm Rot.
- **Dip application:** not registered in CA for Cylindrocladium Blight and Wilt.

For all treatments, thorough coverage is required for maximum effectiveness.

### OHP 26 GT®-O

**Foliar spray:** apply 1 to 2.5 qts. per 100 gallons of water to the point of run-off.

**Drench:** Apply at seeding and/or transplanting for Rhizoctonia control at 13 fl. oz. per 100 gal. of water.

*Do not exceed a total of 35 fl. oz. of product per 1000 sq. ft. per year.*

*Limit OHP 26 GT-O to a maximum of 6 applications per year.*

*Do not use as a drench on impatiens or pothos. Do not use on Spathiphyllum.*

*Do not apply more than 2.5 qts. of product per acre per application, Do not exceed more than 4 applications per year. Do not exceed a total of 10 qts. of product per acre per year.*

**Dip:** Dip in a solution of 1 to 2 qts. of OHP 26 GT-O per 100 gal. of water for five minutes prior to cold storage.

**Intervals:** As a foliar spray, repeat applications of OHP 26 GT-O may be made every 7 to 14 days. Drench applications may be made every 14 days.

## TANK MIXING

For additional disease control, the label dosage of tank mix partners should not be exceeded. Do not mix OHP Chipco 26019 N/G or OHP 26 GT-O with any product labeled against such usage. Both formulations are compatible with most commonly used fungicides.



*Read label directions and cautions before use.*

*26GT and Chipco are registered trademarks of Bayer.*

PO Box 230, Mainland, PA 19451  
Technical Service: 800-356-4647  
[www.ohp.com](http://www.ohp.com)