




Armed with Abamectin for Insect and Mite Control

AVENSIS® INSECTICIDE/MITICIDE controls ornamental and turfgrass pests with the active ingredient abamectin, a natural fermentation product of the bacterium *Streptomyces avermitilis*. AVENSIS INSECTICIDE/MITICIDE is a Restricted Use Pesticide.

FEATURING

- ✓ IRAC Group 6 Insecticide
- ✓ Mode of action: Glutamate-gated chloride channel allosteric modulator. Abamectin activates chloride channel proteins that depolarize nerve membranes, which inhibits nerve impulse conduction and leads to muscle paralysis

SCAN
TO
LEARN
MORE



Application Sites

- **Ornamentals:** Control of leafminers and mites, and suppression of aphids, thrips, and whiteflies on ornamental plants in shadehouses or greenhouses, field-grown ornamentals, foliage plants, Christmas trees, and other woody ornamentals
- **Turfgrass:** Control of annual bluegrass weevil and turf-parasitic nematodes on golf course greens, tees, and fairways

ITEM NO.	UNIT SIZE	CASE SIZE
13658	1 qt. bottle	8 x 1 qt. bottle
13659	1 gal. jug	4 x 1 gal. jug

EPA Reg. No. 5481-627



AMGUARD™
Environmental
Technologies
Made in the USA

Contact your authorized AMGUARD
Environmental Technologies distributor or
visit amvac.com/products/avensis

AMGUARD™
ENVIRONMENTAL TECHNOLOGIES
An American Vanguard Company



The Application Rates Listed in the Following Table will provide excellent control of the respective pests under typical conditions.

See label and FIFRA Section 2(ee) Recommendation for application information.



USE	PEST/NEMATODE			APPLICATION RATE
Ornamental Insect and Mite Control	Aphids (suppression only) Boxwood Leafminers Eriophyid Mites (Bud, Rust) European Red Mites Liriomyza Leafminers	Southern Red Mites Spider Mites (Carmine, Spruce, Two-Spotted) Tarsonemid Mites (Broad, Cyclamen)	Thrips (suppression only) Whiteflies (suppression only)	8 to 16 fl. oz. per acre
Turfgrass Insect Control	Annual Bluegrass Weevil (<i>Lissonotus maculicollis</i>)			1.3 fl. oz. per 1,000 sq. ft.*
Turfgrass Nematode Control	Turf-Parasitic Nematodes			0.33 to 1.3 fl. oz. per 1,000 sq. ft.

* Per FIFRA Section 2(ee) Recommendation for control of Annual bluegrass weevil on golf greens, tees, and fairways, within the states of Connecticut, Delaware, Kentucky, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, Vermont, Virginia, and West Virginia.

* AVENSIS should be used as part of an insecticide program for ABW control. For best results, make three applications at 1.3 fl. oz. per 1,000 sq. ft. (57 fl. oz. per acre) with a two-week interval between each application. The AVENSIS applications should follow an April adulticide application, and begin approximately May 1st. The program should include a June application of a proven larvicide product like Ference®.